

Storm • Safe[™]

Home Protection Garage Doors

Why Storm • Safe[™]?

- Protect your home in cyclone-affected regions
- Independently tested to AS/NZS 4505: 2012 for C1 & C2 regions
- Features patented Panel-Loc[™] safety technology
- C2 Rated up to 6100mm wide

Gliderol Storm•Safe™ Sectional Door

Cyclone Rated Windlocked Sectional Door

Gliderol's Storm•Safe™ Sectional Door has been uniquely designed using patented Panel-Loc® technology to provide homes in cyclone and storm prone regions with the ultimate in safety and durability.

Designed and manufactured in Australia, the Gliderol Storm•Safe Sectional Door is engineered to withstand Australia's harshest conditions.

Gliderol's independently tested patented Panel-Loc™ technology incorporates aluminium end caps into every panel, interlocking with a specially designed aluminium upright to automatically lock in place should a cyclonic event occur.

With all windlocking built direct into the door itself, your Gliderol Storm•Safe door is always storm-ready and requires no manual preparation or intervention.

Storm•Safe's lightweight design eliminates heavy and cumbersome components, reducing overall weights resulting in maximum strength, with minimal fatigue, over the life of the door.

Durable aluminium Panel-Loc™ door hardware is not only easy to install, but corrosion resistant and neat in appearance.


With state-of-the-art technology, you can be confident Gliderol's Storm•Safe Sectional Door will safeguard your home, keeping your family and your property protected.

Storm•Safe Installation Requirements

Dimensions									
Height (mm)	Width (mm)	Sideroom		Headroom		Optional Low Headroom			
		Std/ Front Mount	Rear Mount	Man	Auto	Front Mount		Rear Mount	
						Man	Auto	Man	Auto
1820 - 3000	1750 - 6100	150	180	340	390	180	240	180	180


Maximum Door Width for C1 & C2 Wind Classification

Wind Classification	Ultimate Design Wind Pressure (kPa)		Max Door Width	Force on Supporting Structures	
	Inward	Outward		Out-Of-Plane Fy (kN/m)	In-Plane Fx (kN/m)
C1 & C2	2.92	-3.04	5500mm	5.6	20.0
C1 & C2	2.92	-3.04	6100mm	6.1	25.5



Key Features & Benefits

- Independently tested & certified to AS/NZS 4505:2012
- Innovative & cyclone rated Panel-Loc™ safety technology
- Strength, quality & durability



Panel-Loc™ Aluminium End Caps

Panel-Loc™ Aluminium End Caps are fitted to either end of every Storm•Safe door panel. With patented windlocking channel molded directly into each end cap, panels automatically lock in place around the Panel-Loc™ Uprights with no preperation required.




Panel-Loc™ Aluminium Uprights

Fixed securely at either end of the door opening, Storm•Safe Panel-Loc™ Aluminium Uprights provide a solid anchor point for Panel-Loc™ end caps, delivering a lightweight interlocking safety system without the need for additional posts or fixings.




Select Your Door Style



Madison

A versatile design that suits every style of home, the Madison uses clean, sharp lines and a textured finish to perfectly blend with and compliment the facade of your home.



Hampton

The Hampton elegantly incorporates rectangular embossments for a classic, yet strong style. A classic design to suit both modern and more traditional homes.



Tuscan

A timber-planked style door that is built with low maintenance Colorbond® steel. Horizontal 'V' grooves create a sleek and contemporary look, providing the perfect design for modern homes.



Oxford

The Oxford design offers classic Georgian squares to provide a traditional look to any home. Each square is precision pressed in manufacturing for quality and strength.

Select Your Automatic Opener



Genesis Sectional Door Opener (800N)

Featuring the latest in safety & security technology, the Gliderol Genesis offers quiet, reliable garage door automation.

Features

- Easy-to-use LED digital display
- Glide•A•Code security encryption
- Courtesy LED light for convenience & safety
- Safety auto reverse



Genesis Optima Sectional Door Opener (1200N)

Providing maximum pulling power the Gliderol Genesis Optima offers unrivalled strength ideal for large span & custom doors.


Features

- Maximum power & performance
- Easy-to-use LED digital display
- Glide•A•Code security encryption
- Courtesy LED light for convenience & safety
- Safety auto reverse

Storm•Safe™ Series Colour Range



Surfmist®



Shale Grey™



Classic Cream™




Paperbark®




Evening Haze®



Cove™



Dune®




Windspray®



Gully™



Jasper®



Wallaby™




Basalt™




Pale Eucalypt®




Mangrove™




Terrain™



Manor Red®



Cottage Green®



Woodland Grey®




Deep Ocean®



Ironstone®



Monument®




Night Sky®




Storm•Safe™ Series Premium Colour Range




Golden Oak



Dark Oak



Mahogany



Wenge



Classic Cedar™



Caoba™

Colours shown here have been reproduced to represent actual product colours as accurately as possible and should be used as a guide only. We recommend checking your chosen colour against an actual sample of the product before purchasing as varying light conditions and limitations of the printing process may affect colour tones. COLORBOND®, BlueScope and ® colour names are registered trade marks and ™ colour names are trade marks of BlueScope Steel Limited.

**Call your local Gliderol Office
on 1300 799 144**

Or email us at
sales@gliderol.com.au